

CITY OF PORT ARANSAS 710 W. AVENUE A PORT ARANSAS, TX 78373 TELEPHONE: (361)749-4111 REQUEST FOR PROPOSALS (RFP)

Proposal Title: Request for municipal airport fuel tank repair

Proposal Closing Time: 3:00 p.m. Central Standard Time

Proposal Closing Date: February 17, 3:00 p.m. Central Standard Time

Technical Proposal Opening: February 17, 3:00 p.m. Central Standard Time

Council Action: February 23, 2023

Notice to Proceed: February 23, 2023

Submission of Proposal: City of Port Aransas

City Secretary's Office 710 W. Avenue A

Port Aransas, TX 78373

Note: Proposals will not be accepted via facsimile or e-mail

Specification questions: Lawrence Cutrone

lcutrone@cityofportaransas.org

361-749-4111 ext. 226

PROPOSAL SPECIFICS:

The City of Port Aransas, Texas is soliciting bids from qualified companies and individuals to quote and be able to perform services to its Watco Avgas 100 Low Lead fuel tank and its related component parts of the fuel service system. The tank is 120-inches in diameter and 17 feet 9-inches long. There are three holes where attached brackets have rusted and deteriorated away on the exterior of the fuel tank that will require welded patches. Surface preparation of the fuel tank exterior via SSPC-SP10, application of two coats of Carboline Carbomastic 15 at three to five mils DFT minimum per coat, and application of one coat of Carboline Carbothane 134 HG at two to three mils DFT minimum are required. All decals must be replaced with new decals, and a listing will be provided below on decal specifications. Cleaning services to the Avgas fuel tank interior must be performed prior to work. The tank must be emptied of fuel for preventing risk of explosion. Fuel storage of approximately 400 gallons will be required. Fuel waste disposal may be required. It is anticipated that less than 5 gallons of waste will be encountered, and the City's Municipal Airport will intake and dispose of the waste up to 55 gallons. Cleaning services to the internal dimensions of the fuel tank requires adherence to OSHA Standards for Permit-required Confined Spaces and Hazardous Materials with entry into a hazardous atmosphere of a flammable liquids tank. Use of soap will not be allowable for cleaning the internal dimensions of the fuel tank.

Project also shall include construction of a new corrugated galvanized steel sheet metal canopy at 7 feet by 7 feet, two 2 inch by 2 inch galvanized steel angle support beams at 7 feet, and four 4 inch galvanized square steel tubing at 7 feet to be anchored into the concrete. A 4 inch steel channel fabricated skid at 8.5 feet by 4 feet and a VEPJ 24-23-24 RT electric hose reel attached to the skid require application of SSPC-SP10, and two coats of Carboline Carbomastic 15, and one coat of Carboline Carbothane 134 HG. A 3.5 inch Y-strainer and a 3.5 inch butterfly valve on the tank's fuel intake line and a 2.5-inch ball valve in the concrete containment wall require application of SSPC-SP10, and two coats of Carboline Carbomastic 15, and one coat of Carboline Carbothane 134 HG. There are eight galvanized Unistrut clamps and a 3-inch galvanized U-bolt that must be replaced. There are 4 riveted tags on the tank that must be preserved. Some bolts may have to be cut and replaced as needed.

Decals:

- (4) "Flammable" 24"x6"
- (4) "No Smoking" 26"x6"
- (4) "AVGAS 100LL" 16"x5"
- (4) "Watco Tanks" 12"x15"
- (4) "1203", "3" at bottom, fire symbol at top in red diamond shape 11"x11"
- (2) "Steel Tank Institute F921" 16.5"x14"
- (2) "Steel" in circle shape 11.5" diameter
- (1) "Warning: Double wall tank Do not apply pressure to this tank for monitoring purposes" 6"x2"
- (1) "Steel Tank Institute F921 Serial No. 1781" 4"x1.5"
- (1) "Caution" with instructions 6.5"x6.5"
- (1) "Fuel maintenance" with instructions 8"x4"
- (1) "Air pressure test procedure for aboveground intimate contact type-1 double wall tank" with instructions 11"x8.5"

SUBMISSION OF PROPOSALS:

The proposal must be submitted in a sealed envelope bearing the title "City of Port Aransas RFP – Bid for Municipal Airport Fuel Tank Repair – RFP 2023-03" along with the name and address of the proposer. The proposer shall submit two (2) copies of the completed Proposal Form and the other required information identified below to:

Francisca Nixon
City Secretary
City of Port Aransas
710 W. Avenue A
Port Aransas, TX 78373

Deadline for submission is 3:00 p.m. (CST), February 17th, 2023. Proposals received after that time will not be considered and will be returned to the proposer unopened.

Other requirements are listed below:

- A. Two (2) copies of the proposal shall be submitted.
- B. All information requested of the proposer by the RFP shall be provided. Failure to do so may disqualify the proposal.
- C. All information shall be entered in ink or typewritten.
- D. Proposal shall be signed by an authorized representative of the company.
- E. Proposals may be submitted in a sealed envelope or box to the address shown above.
- F. Proposals may be submitted in person, by U.S. Mail, Special Delivery or courier service. No facsimile or e-mail proposals will be accepted.
- G. All exceptions to any point of the RFP must be clearly shown. It is suggested that exceptions be made as a separate section within the proposal for clarity.

PROPOSER'S RESPONSIBILITY:

Proposers should carefully examine the entire RFP and any addenda thereto, and any related materials and dates referenced in the RFP. Proposers shall become fully aware of the nature and location of the work. All proposers are responsible for the cost to produce their proposal. All proposers are responsible for their proposal's content, timeliness of submission and withdrawal.

CITY OF PORT ARANSAS PROPOSAL FORM

CITY OF PORT ARANSAS MUNICIPAL AIRPORT FUEL TANK REPAIR

Company Name:
Company Address:
Company Phone:
Official Submitting:
Title of Official:

Instructions

Please respond in the following sections.

A.	Products/Pricing							
	Total Price							
	Brand of Equipment Warranty Information (10 YR REQUIRED FOR TANK)							
		Length of Time to Comple	Length of Time to Complete Work					
Ple	ase attach the proposed equipm	ent spec sheet to this form.						
	SIGNATURE OF ENTIRE PROPOSAL AND SUBMITTALS							
FIR	M:							
BY:								
	Signature		Title					
	Print or Type Name	2	_					
ADDRESS: Street Address and/or P.O. Box Number								
	Street Address and	, or rice. Box realinger						
	City	State	Zip Code					
DLI	ONE.	FAV.						

RETURN ENTIRE RFP PACKAGE AND ALL DOCUMENTATION REQUIRED BY THIS REQUEST FOR PROPOSAL

PROPOSAL AFFADAVIT

AUTHORIZED OFFICER: All pages in proposal containing statements, letters, etc., shall be signed by a duly authorized officer of the company, whose signature is binding on this proposal.

The undersigned offers and agrees to furnish all of the services stated in the accompanying proposal. The period of acceptance of this proposal will be ninety (90) calendar days from the date of the proposal closing, unless otherwise indicated by proposer.

STATE OF		gned authority, a Notary Public in and for the State of ersonally appeared, wh					
, on this	day personally appeared						
by me duly sworn, did dep	ose and say:						
"I,(name)	am a duly authorized officer or/agent for						
(name)							
and have been duly authorized to execute the							
(name of firm)							
foregoing proposal on beh	alf of the said:						
or other person or persons proposal. Further, I certify directly or indirectly conce services/items offered, or	regoing proposal has not been sengaged in the same line of that the proposer is not now training in any pool or agreement to influence any person or person	business prior to the or v, nor has been for the ent or combination, to c ersons to offer or not to	fficial receipt of this past six (6) months, control the price of offer thereon.				
BY: (print name)	(Signature)	, (Title)					
SUBSCRIBED AND SWORN	to before me by the above n	amed					
	on						
	Date						
Notary Public in and for the	e State of						

RETURN THIS AFFIDAVIT AS PART OF PROPOSAL