



December 31, 2025

ADDENDUM NO. 2

TO: **All Prospective Bidders**

PROJECT: **RFP: 2025-15 Airport Fence Installation**

OWNER: **City of Port Aransas**

BID DATE: **Due: January 7, 2026, at 4:00 PM CST, City Hall**

Prospective bidders are hereby notified of the following modifications to the contract documents. These modifications shall become a part of the contract documents. All provisions of the contract documents not specifically affected by the addenda shall remain unchanged.

1. INTRODUCTION:

The City of Port Aransas, Texas ("City") is seeking proposals for the supply and installation of airport security fencing at the Mustang Beach Airport.

2. CHANGES/CLARIFICATIONS TO SPECIFIED BID ITEMS:

Gates:

One-6' tall Automatic Man Gate, and Two-6' tall Manual Man Gates shall all use a SUMO GL2 Surface Mount Gate Lock, with chain-link adaptor, in a Marine Grade finish. Gate shall have a "reach proof" area welded on the gate/fence to prevent a person from reaching around and opening the lock.

Two-6' tall Manual Vehicular Gate, and One-6' Manual Wheeled Vehicular Gate shall use a SUMO GL2 Surface Mount Gate Lock, with chain-link adaptor, in a Marine Grade Finish. Gate shall have a "reach proof" area welded on the gate/fence to prevent a person from reaching around and opening the lock.

One-6' tall Manual Wheeled Vehicular Gate (listed above) is approximately a 16' span across the concrete driveway.

The remaining one-6' tall Automatic Vehicular Gate at Airport office remains as-is on plans.

Pipe/Post:

Pipe/post shall meet ASTM F1083 sizes per plans.

Chain Link Fabric:

All chain link fabric shall be Class 2 (2 oz./sq. ft. mesh)

Barbwire:

Barbwire can be a continuous strand from post to post to post, as long as it meets tension requirements and is secured at every post to stay at correct height above fence mesh. There is only a single strand of barbwire required, as shown on plans.

Weed Control:

Provide weed control along the entire fence line, apply 1' on each side of fence as shown on plans. Roundup or equivalent, in accordance with manufactures application specifications.

ACKNOWLEDGEMENT: It is the Bidder's responsibility to acknowledge receipt of this Addendum No. 2.

POSTED this **31th** day of **December, 2025** on the bulletin board at Port Aransas City Hall, 710 W. Avenue A, Port Aransas, Texas and on the webpage www.cityofportaransas.org. **TIME 4:30 p.m.**

CITY OF PORT ARANSAS, TEXAS

Francisca Nixon, City Secretary